

Effect of the Thickness of the Piezoelectric Patches on the Active Control of a Thin Plate

Mohamed LATRACHE
Mohamed N. AMRANE
*Faculty of Technology
Mohamed Khieder Universty of Biskra
BP 145 RP , 07000 Biskra, Algeria
latrachemoh@gmail.com
mnamrane@yahoo.com*

Received (29 June 2018)

Revised (12 July 2018)

Accepted (25 August 2018)

This paper presents a numerical study pertaining to on the active vibration control (AVC) of the 3-D rectangle simply supported plate bonded of the piezoelectric sensor/actuator pairs. A LQR controller is designed based on the independent mode space control techniques to stifle the vibration of the system. The change in the thickness of the patches was a clear impact on the control results, and also in the values of the voltage in actuator. The results were established by simulating in ANSYS and MATLAB.

Keywords: piezoelectric, plate, FE, active control, LQR.

1. Introduction

Active vibration control (AVC) technology has been developed for more than 30 years. Combining the vibration theory with the control theory, it has been widely applied in the fields of civil engineering, aeronautics, astronautics, mechanical engineering and vehicle, etc. [7]. AVC using smart materials is being increasingly used for flexible structures in the aerospace industry. Over the last decade the usage of piezoceramics as actuators and sensors has considerably increased and they provide an effective means of high quality actuation and sensing mechanism [18].

Modeling smart structures often require a coupled modeling between the host structure and the piezoelectric sensors and actuators. They can be modeled as either lumped or distributed parameter systems, and usually these systems have complicated shapes and structural patterns that make the development and solution of descriptive partial differential equations burdensome, if not impossible. Alternatively, various discretization techniques, such as finite element (FE) modeling, modal analysis, and lumped parameters, allow the approximation of the partial

differential equations by a finite set of ordinary differential equations. Since the 1970s, many FE models have been proposed for the analysis of smart piezoelectric structural systems [17].

With a multiple-input and multiple-output (MIMO) control system, linear quadratic control methods are the preferred choice and can be used effectively for Multimode vibration suppression, and the Linear Quadratic Regulator (LQR) control approach is well suited for the requirements of damping out the effect of disturbances as quickly as possible and maintaining stability robustness [8]. In this study a LQR controller is designed based on the independent mode space control techniques to suppress the first three ranks modes vibration of the system.

2. Finite element modeling of the smart plate

Modeling of piezoelectric smart structures by the finite element method has been presented [8,13,16]. The global matrix equations governing a smart structure system can be written as:

$$\begin{aligned} [M_{uu}] \ddot{u} + [C] \dot{u} + [K_{uu}] u + [K_u] \Phi &= F \\ [K_u^T] u + [K] \Phi &= Q \end{aligned} \quad (1)$$

where:

- Kinematically constant mass matrix:

$$[M_{uu}] = \int \rho N_u^T N_u dV \quad (2)$$

- Elastic stiffness matrix:

$$[K_{uu}] = \int B_u^T C^E B_u dV \quad (3)$$

- Proportional damping matrix:

$$[C] = \alpha [M_{uu}] + \beta [K_{uu}] \quad (4)$$

- Piezoelectric coupling matrix:

$$[K_u] = \int B_u^T h^T B dV \quad (5)$$

- Dielectric stiffness matrix:

$$[K] = - \int B^T b^s B dV \quad (6)$$

- Mechanical force:

$$F = \int_V N_b^T f_b dV + \int_{S_1} N_{S_1}^T f_s dS_1 + N_u^T f_c \quad (7)$$

- Electrical charge:

$$Q = \int_{S_2} N_{S_2}^T q_S dS_2 - N^T q_c \quad (8)$$

where:

α and β : The Rayleigh's coefficients

f_b : The vector of body applied to the volume V

f_S : The surface force applied to the surface S_1

f_c : The concentrated force

q_S : The surface charge at surface S_2

q_c : The point charge

S_1 : Is the area where mechanical forces are applied,

S_2 : Is the area where electrical charges are applied.

3. Active control vibration

The equations of active control vibration of a smart plate in modal coordinate can be written as [3]:

$$\ddot{\alpha}_i + 2\zeta_i \omega_i \dot{\alpha}_i + \omega_i^2 \alpha_i = \int_{l=1}^{N_a} b_{il} u_l \quad i = 1, \dots, N \quad (9)$$

$$Y_j = \int_{l=1}^N C_{jl} \alpha_l \quad l = 1, \dots, N_a \quad (10)$$

where:

N the first eigenmodes are considered.

α_i , $\dot{\alpha}_i$ and $\ddot{\alpha}_i$ represent modal displacement, velocity and acceleration.

ω_i and ζ_i are the natural frequency and damping ratio of i th mode.

$b_{il} u_l$ is the i th modal constituent of the control force due to the electric potential u_l applied to the l th actuator.

A continuous time state space representation of the system is given by:

$$\dot{x}(t) = Ax(t) + Bu(t) \quad (11)$$

$$y = Cx(t) \quad (12)$$

where $[A]$, $[B]$ and $[C]$ denote the system matrix, the input matrix and the system output matrix, respectively. They can be obtained as.

$$[A] = \begin{bmatrix} [0] & [\omega_i] \\ -[\omega_i] & [2\zeta_i \omega_i] \end{bmatrix} \quad (13)$$

$$[B^T] = [0 \quad [b_{ij}]] \quad (14)$$

$$[C] = [[c_{ij}] \quad [0]] \quad (15)$$

b_{ij} represents the action of the j th actuator to the i th eigenmode and equals to

$$b_{ij} = (2h + h_p) \int_S \left(e_{31} \frac{\partial^2 \psi}{\partial x^2} + e_{32} \frac{\partial^2 \psi}{\partial y^2} \right) dS \quad (16)$$

c_{ij} is the sensing constant of the j -th sensor due to the motion of the i -th mode and equals to

$$c_{ij} = \frac{1}{\varepsilon_{33}} (h + h_p/2) \int_S \left(e_{31} \frac{\partial^2 \psi}{\partial x^2} + e_{32} \frac{\partial^2 \psi}{\partial y^2} \right) dS \quad (17)$$

b_{ij} and c_{ij} depend respectively of the i -th actuator location and j -th sensor location. (ω_i, Ψ) represents the i -th couple of eigenvalue / eigenmode.

ζ_i : is a damping ratio of the of the i -th.

e_{31} and e_{32} are the piezoelectric coefficient.

$$\Phi = -[G] x \quad (18)$$

where G is the state feedback gain matrix.

To design such a LQR compensator, first, we consider the minimization of the quadratic cost function as follows:

$$J_\phi = 1/2 \int_0^\infty [x^T [Q] x + \Phi^T [R] \Phi] dt \quad (19)$$

where Q is a positive semidefinite matrix and R is a positive matrix.

The selection of Q and R is vital in the control design process. Q and R are the free parameters of design and stipulate the relative importance of the control result and the control effort. A large Q puts higher demands on control result, and a large R puts more limits on control effort [12].

The optimal solution is:

$$[G] = [R]^T [B]^T [K] \quad (20)$$

where $[K]$ satisfies the Riccati equation:

$$[A]^T [K] + [K] [A] - [K] [B] [R]^{-1} [B]^T [K] + [Q] = 0 \quad (21)$$

4. Linear Quadratic Regulator (LQR) problem

The state feedback approach can provide a complete model of the global response of the system under control. They are particularly applicable to the control of the first few modes of a structure. The state feedback (Fig. 1) approach provides the best performance that can be achieved under an ideal feedback control system (full information and no uncertainty) [4, 6].

5. Results and discussion




Figure 1 The principle of the state feedback

In MATLAB, the command **lqr** is used to calculate the optimal gain matrix **G**:

$$\text{Syntax : } [\mathbf{G}, \mathbf{K}, \mathbf{e}] = \text{lqr}(\mathbf{A}, \mathbf{B}, \mathbf{Q}, \mathbf{R})$$

where **e** is the closed-loop eigenvalues.

$$\mathbf{e} = \text{eig}(\mathbf{A} - \mathbf{B}\mathbf{G}) \quad (22)$$

6. Example illustrative




Figure 2 The geometrical model of the plate equipped with PZT patches

The geometric model shown in Fig. 2 includes the plate equipped with two pairs rectangular PZT sensor/actuator pairs with ($hp = 0.0001$), attached to the top and bottom surfaces of the plate.

All simulations featured in this paper assume $\alpha = 0$ and $\beta = 0.01$ damping constants. The time step Δt for Transient analysis is taken as $1/(20f_h)$, where f_h is the higher frequency.

Consider an initial displacement field applied to the plate equal to 1 mm.

Table 1 contains the material property data for the plate, and piezoelectric patches. To build an ANSYS finite element model of a piezoelectric smart structure, the plate and the PZT materials have been modeled by the SOLID5 element, which has 8 nodes. The processing of the geometry and finite element mesh generation is provided by ANSYS processing analysis. A coupling electromechanical is created by the CP command and the appropriate voltage potential is assigned (Fig. 3a).

The current structure is meshed by 104×84 eight-node solid elements, with 104 elements in width direction and 84 elements in the width direction. And each sensor and actuator is meshed with 91 identical elements (Fig. 3b). The simulation denotes the mechanical response of the plate equipped with the piezoelectric actuators without control.





Figure 3 a) The electromechanical coupling between the plate and the piezoelectric patches,
b) FEM of the simply supported plate and boundary conditions

Table 1 Material properties of plate and piezoelectric

Properties	Units	Plate	PZT
E (Young's modulus)	Pa	207e9	69e9
ρ (Density)	Kg/m ³	7800	7700
ν (Poisson)	—	0.3	0.3
e_{31} , e_{32} (Piezoelectric strain)	C/m ²	—	-12.351
ε (Piezo dielectric)	F/m	—	1.6e-8

As the geometrical properties of piezoelectric are small compared to those of the elastic plate, piezoelectric patches can be neglected in the computation of eigen-modes.

Table 2 shows the first six natural frequencies of the smart plate. For simply supported thin isotropic plates.

Table 2 The first six natural frequencies of the plate and the smart plate

Mode (r,n)	Natural frequencies (Hz)					
	(1,1)	(2,1)	(1,2)	(3,1)	(2,2)	(3,2)
Aluminum plate [9] (analytical)	10.628	22.107	31.035	41.238	42.513	61.644
Aluminum plate (ANSYS)	10.636	22.139	31.082	41.331	42.640	61.923
Smart plate (ANSYS)	10.499	21.769	30.632	40.637	41.857	60.656

7. Second application for active vibration control

In this section, we consider the active control of the previous plate.

The FEM results were exported to the MATLAB software in order, to determine the cost function and the state space representation of the system. This model was obtained by system identification commands from MATLAB software using the frequency response of the smart plate. In this study, a linear quadratic optimal controller is considered to control the first three modes of the flexible plate. The dynamic response is calculated using the first three modes. As a result, the size of Size of system matrix [A] is 6x6 (13). In addition the size of the input matrix [B] is 2x6, the matrix [B] depend of the number of actuators (14) which two in our case. Here, the control is started after an elapse of 0.5 s in order to compare the controlled and uncontrolled responses. In this application, we consider the previous plate with different dimensions of the thicknesses (h_p) of the piezoelectric patches. Fig. 4 shows the displacement response of the plate with the three values of the thicknesses of the patches. The Bode plot of the open-loop and closed-loop system are shown in Fig. 5, when the control is open-loop are also shown for comparison.




Figure 4 The three transient responses corresponding to the three thicknesses (0.0001, 0.001, and 0.01 m) of the PZT patches respectively




Figure 5 The frequency response of the three cases of the thicknesses (0.0001, 0.001, and 0.01 m) of the PZT patches respectively




Figure 6 Comparison frequency response of the tree cases (0.0001, 0.001, and 0.01 m) of the thicknesses in the closed loop

Fig. 6 shows the comparison of the Bode plot for different values of the thicknesses of the PZT patches in the closed loop.

The magnitudes b_{ij} (16) and c_{ij} (17) depend on the several variables, among its variables the magnitude of the thickness of the piezoelectric patches h_p . The quantities b_{ij} and c_{ij} form the input matrices and the output matrix of the system (B) and (C), respectively. So, the right choice of different values the thickness of the patches gives good control.

8. Conclusion

This paper is concerned with the numerical modeling of discrete piezoelectric sensors and actuators for active modal control of a flexible simply supported rectangular plate with consideration the three values of the thicknesses of the piezoelectric patches, excited and sensed by rectangular actuators and sensors bonded symmetrically to both sides of the plate. Finite element model of the smart plate is constructed by an ANSYS APDL program.

A LQR controller is considered based on the independent mode control techniques to suppress the first three modes vibration of the system. Simulation results and the curves of open-loop and close-loop for different thicknesses of the piezoelectric patches are given by MATLAB demonstrate the effectiveness of the method in this paper.

References

- [1] **Anslys Inc**, Release 12.1 Documentation for ANSYS.
- [2] **Benjeddou, A.**: Edvances in piezoelectric finite element modeling of adaptive structural elements, a survey, *Comput Struct*, 76, 1–3, 347–63, **2000**.

- [3] **Bruant, I., Proslie, L.:** Optimal location of a ctuators and sensors in active vibration control, *Journal of Intelligent Material Systems and Structures*, 16, 197–206, **2005**.
- [4] **Caruso, G. A.:** Critical analysis of electric shunt circuits employed in piezoelectric passive vibration damping, *Smart Mater Struct*, 10, 1059–1068, **2001**.
- [5] **Chopra, I.:** Review of state of art of smart structures and integrated systems, *AIAA J*, 40, 11, 2145–87, **2002**
- [6] **Hagood, N. W., Flotow, A.:** Damping of structural vibration with piezoelectric materials and passive electrical networks, *J Sound Vib*, 146, 243–268, **1991**.
- [7] **Hu, Z. W.:** A review of active vibration control for structures, *Journal of Mechanical Strength*, 17, 2, 55–60, **1995**.
- [8] **Zhang, J., He, L., Wang, E., Gao, R.:** A LQR controller design for active vibration control of flexible structures, Workshop on Computational Intelligence and Industrial Application, *IEEE Pacific-Asia*, **2008**.
- [9] **Koko, T. S., Orisamolu, I. R., Smith, M .J., Akpan, U. O.:** Finite-element-based design tool for smart composite structures, *Proc. SPIE*, 3039, 125–34, **1997**.
- [10] **Latrach, M. :** The LQR control active of smart plate based on the finite element method. Periodica Polytechnica Mechanical Engineering, *OnlineFirst*, 9499, **2017**.
- [11] **Leissa, A. W.:** Vibration of plates, *NASA SP-160*, **1969**.
- [12] **Malgaca, L.:** Integration of active vibration control methods with finite element models of smart laminated composite structures, *Composite Structures*, 92, 7, 1651–1663, **2010**.
- [13] **Lewis, F., Syrmos, V. L.:** Optimal Control, *Wiley, New York*, **1995**.
- [14] **Rao, S, S. Sunar, M.:** Analysis of distributed thermopiezoelectric sensors and actuators in advanced intelligent structures, *AIAA J*, 31, 1280–6, **1993**.
- [15] **Srinivasan, A. V., McFarland, D. M.:** Smart structures: analysis and design, *Cambridge: University Press*, **2001**.
- [16] **Tzou, H. S., Anderson, G. L.:** editors Intelligent structural systems, Solid mechanics and its applications, *Dordrecht: Kluwer Academic Publishers*, 13, **1992**.
- [17] **Vasques, C. M. A., Dias Rodrigues, J.:** Active vibration control of smart piezoelectric beams: Comparison of classical and optimal feedback control strategies, *Computers and Structures*, 84, 1402–1414, **2006**.
- [18] **Sethi, V., Song, G.:** Multimode Optimal Vibration Control of Flexible Structure using Piezoceramics, *International Symposium on Intelligent Control*, Taipei, Taiwan, **2004**.